



SPECIFICATION

LCD Number: CKT014M029CFN-A2

CUSTOMER APPROVED	PREPARE BY	CHECK BY	APPROVED BY
SUPPLIER APPROVED	PREPARE BY	CHECK BY	APPROVED BY

1. General Specification

Item	Contents	Unit
LCD TYPE	TFT/TRANSMISSIVE	
MODULE SIZE (W*H*T)	32.6*38.00*2.6	MM
ACTIVE SIZE (W*H)	25.50*26.50	MM
PIXEL PITCH (W*H)	0.1992*0.2070	MM
NUMBER OF DOTS	128*128	
DIVER IC	ST7735S	
INTERFACE TYPE	3-wire/4-wire SPI	
TOP POLARIZER TYPE	GLARE	
RECOMMEND VIEWING DIRECTION	6	O'CLOCK
GRAY SCALE INVERSION DIRECTION	12	O'CLOCK
BACKLIGHT TYPE	I-DIES WHITE LED	
TOUCH PANEL TYPE	WITHOUT	

3. Interface Pin Function

Pin No.	Symbol	Description
1	A	Backlight LED Ground.
2	K	Backlight LED Power.
3	SPI3W/SPI4W	The pin=0,3-line SPI Enable;The pin=1,4-line SPI Enable.
4	VDD	Power supply.
5	VSS	Power Ground.
6	/CS	Chip Selection Pin
7	RESET	Hardware Reset
8	SDA	SPI Interface Data.
9	SCL	Serial clock pin.
10	RS	RS=0 select command;RS=1 select data.